

RF15/IRL 3321 Standard e Bicchierato - Serie "Ridge"



mt



min



max

IMBALLO E CODICE ITALIA

Standard Bicchierato

 RF15016GS084	RF15016GB084	16	12,1	84	9240	27720
 RF15020GS084	RF15020GB084	20	15,9	84	6043	18129
 RF15025GS054	RF15025GB054	25	20,4	54	3888	11664
 RF15032GS042	RF15032GB042	32	26,8	42	2352	7056
 RF15040GS024	RF15040GB024	40	34,4	24	1512	4536
 RF15050GS015	RF15050GB015	50	43,3	15	960	2880

VERPACKUNG UND CODE DEUTSCHLAND

Standard Gemüfft

 RF15016GS111	RF15016GB111	16	12,1	111	7770	23310
 RF15020GS111	RF15020GB111	20	15,9	111	4440	13320
 RF15025GS057	RF15025GB057	25	20,4	57	3420	10260
 RF15032GS057	RF15032GB057	32	26,8	57	1995	5985
 RF15040GS021	RF15040GB021	40	34,4	21	840	2520
 RF15050GS021	RF15050GB021	50	43,3	21	840	2520

					
	TUBI PROTETTIVI ISOLANTI RIGIDI, CURVABILI A FREDDO	PROTECTIVE INSULATING RIGID CONDUITS, COLD BENDING	TUBE RIGIDE ISOLANT CINTRABLE A FROID	TUBOS AISLANTES RIGIDOS, PLEGABLE A FRÍO	STARRES ISOLIERWELLROHR KALT BIEGSAM
	<i>Curvabili a freddo nei diametri 16-20-25 mm</i>	<i>Cold bending for diameters 16-20-25 mm</i>	<i>Cintrable a froid diam 16-20-25 mm</i>	<i>Plegable a frio en las diámetros 16-20-25 mm</i>	<i>Kalt biegsam für Durchmesser 16-20-25 mm</i>
	MATERIALE PVC	MATERIAL PVC	MATERIEL PVC	MATERIAL PVC	MATERIAL PVC
	MARCHI DI QUALITÀ IMQ NF-USE	QUALITY MARKS IMQ NF-USE	CERTIFICATIONS DE QUALITÉ IMQ NF-USE	CERTIFICACIÓN DE CALIDAD IMQ NF-USE	QUALITÄTSZEICHEN IMQ NF-USE
	NORME EN 61386.1 EN 61386.21	STANDARDS EN 61386.1 EN 61386.21	STANDARDS EN 61386.1 EN 61386.21	NORMAS EN 61386.1 EN 61386.21	STANDARDS EN 61386.1 EN 61386.21
	RESISTENZA ALLA COMPRESIONE Classe 3 medio (superiore a 750 N su 5 cm a +23°C)	COMPRESSION RESISTANCE Class 3 medium (higher than 750 N on 5 cm at +23°C)	RÉSISTANCE À L'ÉCRASEMENT Classe 3 médium (plus de 750 N sur 5 cm à +23°C)	RESISTENCIA A LA COMPRESIÓN Código 3 medio (750 N desde 5 cm a +23°C)	DRÜCKFESTIGKEIT Klasse 3 mittel (höher als 750 N auf 5 cm bei +23°C)
	RESISTENZA ALL'URTO Classe 3 medio (2 joule a -5°C)	IMPACT RESISTANCE Class 3 medium (2 joule a -5°C)	RESISTANCE AUX CHOCS Classe 3, médium (2 joule a -5°C)	RESISTENCIA AL IMPACTO Código 3 medio (2 joule a -5°C)	SCHLAGFESTIGKEIT Klasse 3 mittel (2 joule bei -5°C)
	TEMPERATURA MINIMA D'ESERCIZIO Classe 2 (-5°C)	MINIMUM TEMPERATURE RANGE Class 2 (-5°C)	TEMPÉRATURE MINIMALE D'EXERCICE Classe 2 (-5°C)	TEMPERATURA MÍNIMA DE UTILIZACIÓN Código 2 (-5°C)	MINDESTE-BETRIEBSTEMPERATUR Klasse 2 (-5°C)
	TEMPERATURA MASSIMA D'ESERCIZIO Classe 1 (+60°C)	MAXIMUM TEMPERATURE RANGE Class 1 (+60°C)	TEMPÉRATURE MAXIMALE D'EXERCICE Classe 1 (+60°C)	TEMPERATURA MÁXIMA DE UTILIZACIÓN Código 1 (+60°C)	MAXIMALE-BETRIEBSTEMPERATUR Klasse 1 (+60°C)
	RESISTENZA ALLA PROPAGAZIONE DELLA FIAMMA Autoestinguento	FLAME PROPAGATION RESISTANCE Self-extinguishing	RESISTANCE À LA PROPAGATION DE LA FLAMME Autoextinguible	RESISTENCIA A LA PROPAGACION DE LA LLAMA No propagador	FLAMMWIDRIGKEIT Selbstverlöschend
	RESISTENZA ELETTRICA DI ISOLAMENTO Superiore a 100 mohm a 500 V per 1 minuto	ELECTRIC INSULATING RESISTANCE Higher than 100 mohm for 500 V in 1 minute	RESISTANCE ELECTRIQUE D'ISOLEMENT Plus de 100 mohm (tension de 500 V pour 1 minute)	RESISTENCIA ELÉCTRICA DE AISLAMIENTO Superior a 100 mohm a 500 V por 1 minuto	ELEKTRISCHER SCHUTZ Höher als 100 mohm für 500 V in 1 minuten
	RIGIDITÀ DIELETRICA Superiore a 2000 V 50 Hz per 15 minuti	DIELECTRIC STRENGTH Higher than 200 V at 50 Hz for 15 minutes	RIGIDITÉ DIÉLECTRIQUE Plus de 2000 V à 50 Hz pendant 15 minutes	RIGIDEZ DIELECTRICA Superior a 2000 V 50 Hz por 15 minutos	DIELEKTRISCHER WIDERSTAND Höher als 2000 V bei 50 Hz für 15 minuten