

GUAINA VINILICA SPIRALATA 2311 Serie Flexo



mt.



pcs



mt.

| Modello | Spessore (mm) | Spessore (pollici) | Spessore (mm) | Spessore (pollici) | Spessore (mm) |
|--------------|---------------|--------------------|---------------|--------------------|---------------|
| TFGS010*S030 | 10 | 14,7 | 30 | 180 | 5400 |
| TFGS012*S030 | 12 | 16,4 | 30 | 180 | 5400 |
| TFGS014*S030 | 14 | 18,9 | 30 | 135 | 4050 |
| TFGS016*S030 | 16 | 20,7 | 30 | 135 | 4050 |
| TFGS018*S030 | 18 | 22,7 | 30 | 99 | 2970 |
| TFGS020*S030 | 20 | 24,7 | 30 | 112 | 3360 |
| TFGS022*S030 | 22 | 27,7 | 30 | 65 | 1950 |
| TFGS025*S030 | 25 | 30,6 | 30 | 60 | 1800 |
| TFGS028*S030 | 28 | 33,5 | 30 | 60 | 1800 |
| TFGS030*S030 | 30 | 36,0 | 30 | 40 | 1200 |
| TFGS032*S030 | 32 | 38,0 | 30 | 48 | 1440 |
| TFGS035*S030 | 35 | 41,0 | 30 | 48 | 1440 |
| TFGS040*S030 | 40 | 46,4 | 30 | 30 | 900 |
| TFGS050*S030 | 50 | 57,2 | 30 | 20 | 600 |
| TFGS060*S030 | 60 | 68,2 | 30 | 14 | 420 |

disponibile in grigio, nero, giallo e azzurro
(azzurro per temperature fino a +90°)

available in grey, black, yellow and light blue (for
high temperature)

disponible en gris, noir, jaune, azul (pour hautes
températures)

disponible en gris, negro, amarillo, azul (para
alta temperatura)

verfügbar in Grau, Schwarz, Gelbe, Blau
(Hochtemperatur beständig)

(*) G = grigio, N = nero, Y = giallo, A = azzurro

| |  |  |  |  |  |  |
|---|---|--|--|--|--|---|
|  | GUAINA FLESSIBILI CON SPIRALE RINFORZATA, SUPERFICIE INTERNA LISCIA | FLEXIBLE SPIRAL SHEATHS SMOOTH INSIDE | GAINA A ARMATURE SPIRALEE LISSE À L'INTERIEUR | VAINAS FLEXIBLE CON ESPIRAL RENFORZADA, SUPERFICIE INTERIOR LISA | ISOLIERSCHLAUCH MIT VERSARKTEN SPIRALEN GLATTE INNENSEITE | |
|  | MATERIALE PVC plastificato con spirale in PVC rigido antiurto | MATERIAL Plasticized PVC with rigid PVC spiral | MATERIEL PVC plastifié avec spirale en PVC rigide | MATERIAL PVC plastificado con espiral en PVC rigido | MATERIAL Plastik PVC mit Starrspiralen | |
|  | CERTIFICAZIONE DI SISTEMA IMQ | QUALITY MARKS IMQ | CERTIFICATIONS IMQ | CERTIFICACIÓN DE SISTEMA IMQ | ZERTIFIZIERUNGEN IMQ | |
|  | NORME EN 61386.1 EN 61386.23 | STANDARDS EN 61386.1 EN 61386.23 | STANDARDS EN 61386.1 EN 61386.23 | NORMAS EN 61386.1 EN 61386.23 | STANDARDS EN 61386.1 EN 61386.23 | |
|  | RESISTENZA ALLA COMPRESSIONE Classe 2 (320 N su 5 cm a +23°C) | COMPRESSION RESISTANCE Class 2 (320 N on 5 cm at +23°C) | RÉSISTANCE À L'ÉCRASEMENT Classe 2 (320 N sur 5 cm à +23°C) | RESISTENCIA A LA COMPRESIÓN Código 2 (320 N desde 5 cm a +23°C) | DRÜCKFESTIGKEIT Klasse 2 (320 N auf 5 cm bei +23°C) | |
|  | RESISTENZA ALL'URTO Classe 3 medio (2 joule a +5°C) | IMPACT RESISTANCE Class 3 medium (2 joule at +5°C) | RESISTANCE AUX CHOCS Classe 3 medium (2 joule à +5°C) | RESISTENCIA AL IMPACTO Código 3 medio (2 joule a +5°C) | SCHLAGFESTIGKEIT Klasse 3 mittel (2 joule bei +5°C) | |
|  | TEMPERATURA MINIMA D'ESERCIZIO Classe 1 (+5°C) | MINIMUM TEMPERATURE RANGE Class 1 (+5°C) | TEMPÉRATURE MINIMALE D'EXERCICE Classe 1 (+5°C) | TEMPERATURA MÍNIMA DE UTILIZACIÓN Código 1 (+5°C) | MINDESTE-BETRIEBSTEM- PERATUR Klasse 1 (+5°C) | |
|  | TEMPERATURA MASSIMA D'ESERCIZIO Classe 1 (+60°C) | MAXIMUM TEMPERATURE RANGE Class 1 (+60°C) | TEMPÉRATURE MAXIMALE D'EXERCICE Classe 1 (+60°C) | TEMPERATURA MÁXIMA DE UTILIZACIÓN Código 1 (+60°C) | MAXIMALE-BETRIEBSTEM- PERATUR Klasse 1 (+60°C) | |
|  | RESISTENZA ALLA PROPAGA- ZIONE DELLA FIAMMA Autoestinguente | FLAME PROPAGATION RESISTANCE Self extinguishing | RESISTANCE À LA PROPAGA- TION DE LA FLAME Autoextinguible | RESISTENCIA A LA PROPAGACION DE LA LLAMA No propagador | FLAMMWIDRIGKEIT Selbstverlöschend | |
|  | GRADO DI PROTEZIONE IP DEL SISTEMA IP64 con raccordi ATRD | IP PROTECTION DEGREE IP64 with connectors ATRD | GRADE DE PROTECTION IP IP64 avec les raccords ATRD | CODIGO DE PROTECCION IP IP64 con accesorios ATRD | IP SCHUTZ GRAD IP64 mit Zubehörteile ATRD | |
|  | RESISTENZA ELETTRICA DI ISOLAMENTO Superiore a 100 mohm a 500 V per 1 minuto | ELECTRIC INSULATING RESISTANCE Higher than 100 mohm for 500 V in 1 minute | RESISTANCE ELECTRIQUE D'ISOLEMENT Plus de 100 mohm (tension de 500 V pour 1 minute) | RESISTENCIA ELÉCTRICA DE AISLAMIENTO Superior a 100 mohm a 500 V por 1 minuto | ELEKTRISCHER SCHUTZ Höher als 100 mohm für 500 V in 1 minuten | |
|  | RIGIDITÀ DIELETRICA Superiore a 2000 V 50 Hz per 15 minuti | DIELECTRIC STRENGTH Higher than 200 V at 50 Hz for 15 minutes | RIGIDITÉ DIÉLECTRIQUE Plus de 2000 V à 50 Hz pendant 15 minutes | RIGIDEZ DIELECTRICA Superior a 2000 V 50 Hz por 15 minutos | DIELEKTRISCHER WIDERSTAND Höher als 2000 V bei 50 Hz für 15 minuten | |