

## GUAINA VINILICA SPIRALATA 2311 Serie Flexo



			mt.	pcs	mt.
TFGS010*S030	10	14,7	30	180	5400
TFGS012*S030	12	16,4	30	180	5400
TFGS014*S030	14	18,9	30	135	4050
TFGS016*S030	16	20,7	30	135	4050
TFGS018*S030	18	22,7	30	99	2970
TFGS020*S030	20	24,7	30	112	3360
TFGS022*S030	22	27,7	30	65	1950
TFGS025*S030	25	30,6	30	60	1800
TFGS028*S030	28	33,5	30	60	1800
TFGS030*S030	30	36,0	30	40	1200
TFGS032*S030	32	38,0	30	48	1440
TFGS035*S030	35	41,0	30	48	1440
TFGS040*S030	40	46,4	30	30	900
TFGS050*S030	50	57,2	30	20	600
TFGS060*S030	60	68,2	30	14	420

disponibile in grigio, nero, giallo e azzurro  
(azzurro per temperature fino a +90°)

available in grey, black, yellow and light blue (for  
high temperature)

disponible en gris, noir, jaune, azul (pour hautes  
températures)

disponibile en gris, negro, amarillo, azul (para  
alta temperatura)

verfügbar in Grau, Schwarz, Gelbe, Blau  
(Hochtemperatur beständig)

(\*) G = grigio, N = nero, Y = giallo, A = azzurro

					
	<b>GUAINE FLESSIBILI CON SPIRALE RINFORZATA, SUPERFICIE INTERNA LISCIA</b>	<b>FLEXIBLE SPIRAL SHEATHS SMOOTH INSIDE</b>	<b>GAINES A ARMATURE SPIRALEE LISSE À L'INTERIEUR</b>	<b>VAINAS FLEXIBLE CON ESPIRAL RENFORZADA, SUPERFICIE INTERIOR LISA</b>	<b>ISOLIERSCHLAUCH MIT VERSARKTEN SPIRALEN GLATTE INNENSEITE</b>
	<b>MATERIALE</b> PVC plastificato con spirale in PVC rigido antiurto	<b>MATERIAL</b> Plasticized PVC with rigid PVC spiral	<b>MATERIEL</b> PVC plastifié avec spirale en PVC rigide	<b>MATERIAL</b> PVC plastificado con espiral en PVC rigido	<b>MATERIAL</b> Plastik PVC mit Starrspiralen
	<b>CERTIFICAZIONE DI SISTEMA</b> IMQ	<b>QUALITY MARKS</b> IMQ	<b>CERTIFICATIONS</b> IMQ	<b>CERTIFICACIÓN DE SISTEMA</b> IMQ	<b>ZERTIFIZIERUNGEN</b> IMQ
	<b>NORME</b> EN 61386.1 EN 61386.23	<b>STANDARDS</b> EN 61386.1 EN 61386.23	<b>STANDARDS</b> EN 61386.1 EN 61386.23	<b>NORMAS</b> EN 61386.1 EN 61386.23	<b>STANDARDS</b> EN 61386.1 EN 61386.23
	<b>RESISTENZA ALLA COMPRESSIONE</b> Classe 2 (320 N su 5 cm a +23°C)	<b>COMPRESSION RESISTANCE</b> Class 2 (320 N on 5 cm at +23°C)	<b>RÉSISTANCE À L'ÉCRASEMENT</b> Classe 2 (320 N sur 5 cm à +23°C)	<b>RESISTENCIA A LA COMPRESIÓN</b> Código 2 (320 N desde 5 cm a +23°C)	<b>DRÜCKFESTIGKEIT</b> Klasse 2 (320 N auf 5 cm bei +23°C)
	<b>RESISTENZA ALL'URTO</b> Classe 3 medio (2 joule a +5°C)	<b>IMPACT RESISTANCE</b> Class 3 medium (2 joule at +5°C)	<b>RESISTANCE AUX CHOCS</b> Classe 3 medium (2 joule à +5°C)	<b>RESISTENCIA AL IMPACTO</b> Código 3 medio (2 joule a +5°C)	<b>SCHLAGFESTIGKEIT</b> Klasse 3 mittel (2 joule bei +5°C)
	<b>TEMPERATURA MINIMA D'ESERCIZIO</b> Classe 1 (+5°C)	<b>MINIMUM TEMPERATURE RANGE</b> Class 1 (+5°C)	<b>TEMPÉRATURE MINIMALE D'EXERCICE</b> Classe 1 (+5°C)	<b>TEMPERATURA MÍNIMA DE UTILIZACIÓN</b> Código 1 (+5°C)	<b>MINDESTE-BETRIEBSTEM- PERATUR</b> Klasse 1 (+5°C)
	<b>TEMPERATURA MASSIMA D'ESERCIZIO</b> Classe 1 (+60°C)	<b>MAXIMUM TEMPERATURE RANGE</b> Class 1 (+60°C)	<b>TEMPÉRATURE MAXIMALE D'EXERCICE</b> Classe 1 (+60°C)	<b>TEMPERATURA MÁXIMA DE UTILIZACIÓN</b> Código 1 (+60°C)	<b>MAXIMALE-BETRIEBSTEM- PERATUR</b> Klasse 1 (+60°C)
	<b>RESISTENZA ALLA PROPAGAZIONE DELLA FIAMMA</b> Autoestinguente	<b>FLAME PROPAGATION RESISTANCE</b> Self extinguishing	<b>RESISTANCE À LA PROPAGATION DE LA FLAME</b> Autoextinguible	<b>RESISTENCIA A LA PROPAGACION DE LA LLAMA</b> No propagador	<b>FLAMMWIDRIGKEIT</b> Selbstverlöschend
	<b>GRADO DI PROTEZIONE IP DEL SISTEMA</b> IP64 con raccordi ATRD	<b>IP PROTECTION DEGREE</b> IP64 with connectors ATRD	<b>GRADE DE PROTECTION IP</b> IP64 avec les raccords ATRD	<b>CODIGO DE PROTECCION IP</b> IP64 con accesorios ATRD	<b>IP SCHUTZ GRAD</b> IP64 mit Zubehörteile ATRD
	<b>RESISTENZA ELETTRICA DI ISOLAMENTO</b> Superiore a 100 mohm a 500 V per 1 minuto	<b>ELECTRIC INSULATING RESISTANCE</b> Higher than 100 mohm for 500 V in 1 minute	<b>RESISTANCE ELECTRIQUE D'ISOLEMENT</b> Plus de 100 mohm (tension de 500 V pour 1 minute)	<b>RESISTENCIA ELÉCTRICA DE AISLAMIENTO</b> Superior a 100 mohm a 500 V por 1 minuto	<b>ELEKTRISCHER SCHUTZ</b> Höher als 100 mohm für 500 V in 1 minuten
	<b>RIGIDITÀ DIELETRICA</b> Superiore a 2000 V 50 Hz per 15 minuti	<b>DIELECTRIC STRENGTH</b> Higher than 200 V at 50 Hz for 15 minutes	<b>RIGIDITÉ DIÉLECTRIQUE</b> Plus de 2000 V à 50 Hz pendant 15 minutes	<b>RIGIDEZ DIELECTRICA</b> Superior a 2000 V 50 Hz por 15 minutos	<b>DIELEKTRISCHER WIDERSTAND</b> Höher als 2000 V bei 50 Hz für 15 minuten