

GUAINA VINILICA SPIRALATA 2311 Serie Flexo



mt.



pcs



mt.

Modello	Spessore (mm)	Spessore (in)	Spessore (mm)	Spessore (mm)	Spessore (mm)
TFGS010*S030	10	14,7	30	180	5400
TFGS012*S030	12	16,4	30	180	5400
TFGS014*S030	14	18,9	30	135	4050
TFGS016*S030	16	20,7	30	135	4050
TFGS018*S030	18	22,7	30	99	2970
TFGS020*S030	20	24,7	30	112	3360
TFGS022*S030	22	27,7	30	65	1950
TFGS025*S030	25	30,6	30	60	1800
TFGS028*S030	28	33,5	30	60	1800
TFGS030*S030	30	36,0	30	40	1200
TFGS032*S030	32	38,0	30	48	1440
TFGS035*S030	35	41,0	30	48	1440
TFGS040*S030	40	46,4	30	30	900
TFGS050*S030	50	57,2	30	20	600
TFGS060*S030	60	68,2	30	14	420

disponibile in grigio, nero, giallo e azzurro
(azzurro per temperature fino a +90°)

available in grey, black, yellow and light blue (for
high temperature)

disponible en gris, noir, jaune, azul (pour hautes
températures)

disponible en gris, negro, amarillo, azul (para
alta temperatura)

verfügbar in Grau, Schwarz, Gelbe, Blau
(Hochtemperatur beständig)

(*) G = grigio, N = nero, Y = giallo, A = azzurro

					
	GUAINE FLESSIBILI CON SPIRALE RINFORZATA, SUPERFICIE INTERNA LISCIA	FLEXIBLE SPIRAL SHEATHS SMOOTH INSIDE	GAINES A ARMATURE SPIRALEE LISSE À L'INTERIEUR	VAINAS FLEXIBLE CON ESPIRAL RENFORZADA, SUPERFICIE INTERIOR LISA	ISOLIERSCHLAUCH MIT VERSARKTEN SPIRALEN GLATTE INNENSEITE
	MATERIALE PVC plastificato con spirale in PVC rigido antiurto	MATERIAL Plasticized PVC with rigid PVC spiral	MATERIEL PVC plastifié avec spirale en PVC rigide	MATERIAL PVC plastificado con espiral en PVC rigido	MATERIAL Plastik PVC mit Starrspiralen
	CERTIFICAZIONE DI SISTEMA IMQ	QUALITY MARKS IMQ	CERTIFICATIONS IMQ	CERTIFICACIÓN DE SISTEMA IMQ	ZERTIFIZIERUNGEN IMQ
	NORME EN 61386.1 EN 61386.23	STANDARDS EN 61386.1 EN 61386.23	STANDARDS EN 61386.1 EN 61386.23	NORMAS EN 61386.1 EN 61386.23	STANDARDS EN 61386.1 EN 61386.23
	RESISTENZA ALLA COMPRESSIONE Classe 2 (320 N su 5 cm a +23°C)	COMPRESSION RESISTANCE Class 2 (320 N on 5 cm at +23°C)	RÉSISTANCE À L'ÉCRASEMENT Classe 2 (320 N sur 5 cm à +23°C)	RESISTENCIA A LA COMPRESIÓN Código 2 (320 N desde 5 cm a +23°C)	DRÜCKFESTIGKEIT Klasse 2 (320 N auf 5 cm bei +23°C)
	RESISTENZA ALL'URTO Classe 3 medio (2 joule a +5°C)	IMPACT RESISTANCE Class 3 medium (2 joule at +5°C)	RESISTANCE AUX CHOCS Classe 3 medium (2 joule à +5°C)	RESISTENCIA AL IMPACTO Código 3 medio (2 joule a +5°C)	SCHLAGFESTIGKEIT Klasse 3 mittel (2 joule bei +5°C)
	TEMPERATURA MINIMA D'ESERCIZIO Classe 1 (+5°C)	MINIMUM TEMPERATURE RANGE Class 1 (+5°C)	TEMPÉRATURE MINIMALE D'EXERCICE Classe 1 (+5°C)	TEMPERATURA MÍNIMA DE UTILIZACIÓN Código 1 (+5°C)	MINDESTE-BETRIEBSTEM- PERATUR Klasse 1 (+5°C)
	TEMPERATURA MASSIMA D'ESERCIZIO Classe 1 (+60°C)	MAXIMUM TEMPERATURE RANGE Class 1 (+60°C)	TEMPÉRATURE MAXIMALE D'EXERCICE Classe 1 (+60°C)	TEMPERATURA MÁXIMA DE UTILIZACIÓN Código 1 (+60°C)	MAXIMALE-BETRIEBSTEM- PERATUR Klasse 1 (+60°C)
	RESISTENZA ALLA PROPAGAZIONE DELLA FIAMMA Autoestinguente	FLAME PROPAGATION RESISTANCE Self extinguishing	RESISTANCE À LA PROPAGATION DE LA FLAME Autoextinguible	RESISTENCIA A LA PROPAGACION DE LA LLAMA No propagador	FLAMMWIDRIGKEIT Selbstverlöschend
	GRADO DI PROTEZIONE IP DEL SISTEMA IP64 con raccordi ATRD	IP PROTECTION DEGREE IP64 with connectors ATRD	GRADE DE PROTECTION IP IP64 avec les raccords ATRD	CODIGO DE PROTECCION IP IP64 con accesorios ATRD	IP SCHUTZ GRAD IP64 mit Zubehörteile ATRD
	RESISTENZA ELETTRICA DI ISOLAMENTO Superiore a 100 mohm a 500 V per 1 minuto	ELECTRIC INSULATING RESISTANCE Higher than 100 mohm for 500 V in 1 minute	RESISTANCE ELECTRIQUE D'ISOLEMENT Plus de 100 mohm (tension de 500 V pour 1 minute)	RESISTENCIA ELÉCTRICA DE AISLAMIENTO Superior a 100 mohm a 500 V por 1 minuto	ELEKTRISCHER SCHUTZ Höher als 100 mohm für 500 V in 1 minuten
	RIGIDITÀ DIELETRICA Superiore a 2000 V 50 Hz per 15 minuti	DIELECTRIC STRENGTH Higher than 2000 V at 50 Hz for 15 minutes	RIGIDITÉ DIÉLECTRIQUE Plus de 2000 V à 50 Hz pendant 15 minutes	RIGIDEZ DIELECTRICA Superior a 2000 V 50 Hz por 15 minutos	DIELEKTRISCHER WIDERSTAND Höher als 2000 V bei 50 Hz für 15 minuten